

SIPATILA

PASSION FOR WOOD

INTERIOR PRODUCTS





Ideas for all your senses

Wood has always been at the heart of Finnish culture. It has been used to build homes and to heat them, it has been worn and even made into food. Wood has had a significant place in the lives and homes of Finnish people. Wood is a renewable natural resource, and when it's used sustainably, it can provide us with the means to build in a way that saves energy and respects nature. Siparila takes this tradition of using wood further by creating design solutions for wood cladding and panelling focused on bringing warmth and beauty to the home with the help of Finnish designers.

Wood both inspires and fascinates us. Its versatility unlocks creativity and new ideas for interior design. Whether you wish to create a softer look for a modern apartment or bring some edge to an otherwise restrained home, the unique surface of wood suits a variety of purposes.

Finnish craftsmanship, top design and respect for nature all come together in Siparila's products; they're perfect for creating impressive combinations and exciting elements in your home design, according to your own taste. We believe that the mood of the home is created with your heart, and that it's at its best when it reflects its owner's life and personality. We are ready to whatever it takes to ensure that your home looks like it's yours, now and forever.

Juha Sojakka, CEO

Content

AAVA	
JALO	10
KASTE	12
KIILLE	14
коо	16
PURO	20
RAILO	22
ROSO	26
SOLA	28
STRUKTUURI	30
USVA	36
VALO	40
VIRE	42
KASKI	48
KUULAS	50
LAUDE	
MOULDING	56
INTERIOR PANEL PROFILES	61









POLAR NIGHT TONES

The AAVA is an elegant solution that brings character to an accent wall or the whole room.

The concealed fastening and end joints of the panels make it possible to create a seamless surface on the wall. The AAVA panels are available in three different shades with a brushed, translucent surface treatment. The finishing reflects light beautifully and brings a sense of space and airiness to any room.



Snowfall



Polar Night








Sandy Beach


AAVA

Form	Thickness	Length	Open Seam	Color	Consumption	Coverage width	Raw material
STS	15 mm	220 mm	6 mm	Snowfall	4,88 m/m ²	205 mm	Edge glued RW
STS	15 mm	220 mm	6 mm	Polar Night	4,88 m/m ²	205 mm	Edge glued RW
STS	15 mm	220 mm	6 mm	Sandy Beach	4,88 m/m ²	205 mm	Edge glued RW













Translucent White

The JALO panels can also be used for creating rounded shapes (the radius must be 500 mm at minimum).





JALO

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
STS	15 mm	42 mm	To be checked	3 mm	Translucent White	30,3 m/m ²	33 mm	Ash







The KASTE is a great choice for modern, Scandinavian and traditional interior design styles – the white colour of the panels is easy to combine with other colours in the room. You can install it horizontally or vertically; whichever pleases your eye the most.



White

The KASTE panels have protection against water splashes, which gives them even more applications for various rooms.








KASTE

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
STS	15 mm	120 mm	2350 mm	6 mm	White	9,52 m/m ²	105 mm	Knotless RW F/J
STS	13 mm	95 mm	2350 mm	3 mm	White	12,22 m/m ²	82 mm	Knotless RW F/J







The KIILLE is a versatile panel that can be used on both walls and the ceiling. The panel is available as a straightforward, modern version and as a bead panel with rounded corners that is perfect for a more traditional aesthetic.



Pure White

The concealed fastening ensures that there will not be any visible nail heads.









KIILLE

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
STS	13 mm	95 mm	2350 mm	6 mm	Pure White	12,22 m/m ²	82 mm	Knotless RW F/J
STS	15 mm	120 mm	2350 mm	6 mm	Pure White	9,52 m/m ²	105 mm	Knotless RW F/J
Bead panel	13 mm	95 mm	3600 mm		Pure White	12,22 m/m ²	82 mm	Knotless RW F/J
Bead panel	15 mm	120 mm	3600 mm		Pure White	9,52 m/m ²	105 mm	Knotless RW F/J

Bead panels 13x95 and 15x120 are not end-jointed.







The timeless and stylish KOO interior panels have been designed by interior design architect Kari Lappalainen.



KOO Translucent White



KOO Translucent Gray

The collection features three different types of panels that are distinguished by the number of faux grooves. You can create a smooth or a stripy surface with the KOO panels.



KOO2 Translucent Gray



KOO4 Translucent Gray







коо

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
КОО	21 mm	95 mm	To be checked	4 mm	Translucent Gray Translucent White	12,05 m/m ²	83 mm	Knotless RW Birch
KOO2	21 mm	95 mm	To be checked	4 mm	Translucent Gray Translucent White	12,05 m/m ²	83 mm	Knotless RW Birch
KOO4	21 mm	95 mm	To be checked	4 mm	Translucent Gray Translucent White	12,05 m/m ²	83 mm	Knotless RW Birch

^{*}Please check the length available when placing your order.


The KOO paneling is not end-jointed and will require trimming before installation.



ON THIS PAGE: KOOZ TRANSLUCENT WHITE










The PURO is a pinnacle of Finnish design, and it was created by Design Studio RATIA, designer Laura Väre. In line with RATIA's design philosophy, the



The PURO interior panels can be used in various rooms, including a sauna. The panels are available in four different shades, which means you can create a colour palette that suits your own style perfectly. The wood grain is especially visible in the thermally modified spruce panels which show off the wood's features in all their glory.



00

*PROTECT AGAINST WATE



Pure White

*CAN ALSO BE USED IN A SAUNA



*Translucent White Ash



Translucent Gray



*Thermally modified Spruce

PURO


1 0110								
Form	Thickness	Width	Length	Open seam	Color	Consumption	Coverage width	Raw material
PURO	15 mm	90 mm	2050 mm	6 mm	Thermally modified	12,5 m/m ²	80 mm	Thermally modified spruce
PURO	15 mm	90 mm	2350 mm	6 mm	Thermally modified	12,5 m/m ²	80 mm	Thermally modified spruce
PURO	15 mm	90 mm	2700 mm	6 mm	Pure White	12,5 m/m ²	80 mm	Knotless RW F/J
PURO	15 mm	90 mm	3600 mm	6 mm	Pure White	12,5 m/m ²	80 mm	Knotless RW F/J
PURO	15 mm	90 mm	2050 mm	6 mm	Translucent Gray	12,5 m/m ²	80 mm	Knotless RW
PURO	15 mm	90 mm	4200 mm	6 mm	Translucent Gray	12,5 m/m ²	80 mm	Knotless RW
PURO	15 mm	90 mm	Different lenghts	6 mm	Translucent White	12,5 m/m ²	80 mm	Ash

RAILO

CONTRAST AND BALANCE

Have you ever heard the ice singing in winter? That almost yodel-like sound is the result of the ice moving and its surface cracking – leading to deep grooves and cracks that break the surface of the ice. The smooth surface of the RAILO panels have faux grooves, that break up the even surface, just like cracks in the ice. The RAILO panels let you create bold contrasts or to balance the mood in a room.







RAILO

Form	Thickness	Width	Length	Open Seam	False groove	Color	Consumption	Coverage width	Raw material
STS	13 mm	95 mm	2350 mm	6 mm	6 mm	Pure White	12,22 m/m ²	82 mm	Knotless RW F/J
STS	15 mm	95 mm	2000 mm	6 mm	6 mm	Translucent Gray	12,22 m/m ²	82 mm	Knotless RW









The special surface treatment of the ROSO interior panels brings out the wood texture beautifully. The panels are suitable for both walls and ceilings in dry and damp conditions.



Pure White

The versatile ROSO panels let you create stylish combinations, as the panels' Pure White colour goes with a wide variety of interior design elements.






ROSO

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
STS	13 mm	120 mm	2050 mm	3 mm	Pure White	9,34 m/m ²	107 mm	Knotless RW
STS	13 mm	120 mm	2350 mm	3 mm	Pure White	9,34 m/m ²	107 mm	Knotless RW







The unique look of the SOLA panels is created by its black grooves that make the panels such a three-dimensional and interesting product. They can also be used in a sauna.

The SOLA panels are made from thermally modified spruce, which means that the panel's joints are beautifully brown and emphasise the wood's natural grain pattern. The SOLA panels can be installed both vertically and horizontally.



Thermally modified Spruce







SOLA

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
SOLA	15 mm	90 mm	To be checked	6 mm	Thermally modified	12,5 m/m ²	80 mm	Thermally modified



CREATE CHARACTER FOR YOUR INTERIOR DESIGN

Introduce brand new depth to your interior style with the impressive and bold STRUKTUURI panels on walls and ceilings. The STRUKTUURI panels show the wood's structure with all of its knots and annual rings.

The STRUKTUURI panels can be adapted to fit a wide variety of interior design styles. These wide panels let you create a stunning and aesthetically pleasing solution that combines modern design and the natural stylishness of wood.









PURE WHITE

It's easy to pick your favourite from the five shades of the STRUKTUURI panels: let the darker shades bring depth into your interior design, or create a charming atmosphere with Pearly Grey. Translucent Sand or Pearly Brown, by turn, let you bring warmth and softness into the design. The natural colour palette is complemented by Fresh White.

The special surface treatment brings out the wood's natural surface shape which ensures that the finished installation always has an interesting and lively look.





Pearly Gray



Pearly Brown



Translucent Sand



STRUKTUURI

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
STS	15 mm	176 mm	2350 mm	6 mm	Pure White, Translucent Sand, Translucent Black, Pearl Grey, Pearly Brown	6,21 m/m ²	161 mm	Edgeglued WW





Wood is a stunning material both in terms of its visual effect and its features. Make the most of wood's capacity to improve indoor air quality by using it on various surfaces throughout the home. Real wood breathes life into any room by both absorbing and releasing humidity.

The STRUKTUURI panels can be used in various rooms throughout the house, including a sauna: the panels are surface-treated to withstand even the significant heat and humidity fluctuations typical to a sauna environment. Thanks to the concealed nails, water cannot penetrate the wood and damage it.

Choose a mood that best suits your sauna's atmosphere: white for that fresh and spa-like sauna style, dark for the traditional smoke-heated sauna aesthetic, or Pearly Grey for a mystical mood – or pick the soothing Pearly Brown or natural Sand to give your sauna a brand-new look.
















USVA

FOR A MAGICAL MOOD

Perhaps you've walked along a misty path, feeling the mist wrap around you and your surroundings like a comforting hug, making the scenery seem mysterious and magical. The USVA interior panels let you recreate this magical mood indoors.














USVA

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
STS	15 mm	120 mm	2350 mm	6 mm	Pearly Gray	9,52 m/m ²	105 mm	Few knotted RW
STS	15 mm	120 mm	2050 mm	6 mm	Translucent Sand	9,52 m/m ²	105 mm	Few knotted RW
STS	15 mm	120 mm	2950 mm	6 mm	Translucent Sand	9,52 m/m ²	105 mm	Few knotted RW






STREAMLINED LINES

The VALO interior panels are like a sunbeam peeking out behind the clouds, lighting up the whole landscape and stirring your emotions. You can use the VALO interior panels to create a fascinating combination of lighting and surface materials; you can install LED strips in the groove between the panels to replace ceiling lights. The grooves will stylishly hide the body of the LED strip but still show their illumination like the glow of the sun peeking out from between the clouds.





stall luminaires directly onto the panels to highlight the wood's characteristics.







VALO

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
VALO	28 mm	95 mm	4200 mm	18 mm	Pure White	12,05 m/m ²	83 mm	Knotless RW F/J
VALO	28 mm	95 mm	To be checked	18 mm	Pearly Birch	12,05 m/m ²	83 mm	Birch

 $[\]ensuremath{^{*}}$ Please check the length available when placing your order. The VALO panel is not end-jointed and will require trimming before installation.





VIRE

TIMELESS TOP DESIGN

A light breeze ripples the surface of the water, creating small waves. This slight movement can be felt in the VIRE interior panels created as a collaboration with Ristomatti Ratia. Its wave-like surface always looks different depending on the viewing angle. The VIRE is an example of top Finnish design that can bring stylish nuance in your interior style.







VIRE

Form	Thickness	Width	Length	Color	Consumption	Coverage width	Raw material
VIRE	15 mm	90 mm	2700 mm	Pure White, Matte Black	12,66 m/m ²	79 mm	Knotless RW F/J
VIRE	15 mm	90 mm	3600 mm	Pure White, Matte Black	12,66 m/m ²	79 mm	Knotless RW F/J
VIRE	15 mm	90 mm	To be checked	Dark Brown, Sand, Translucent White Birch, Translucent White Ash, Lacquered Oak	12,66 m/m²	79 mm	Knotless RW F/J Birch Ash Oak


^{*}Available length to be checked when ordering. Vire is not end-jointed. For this reason, the panel must be leveled before installation.
















The panels are available in two different widths; the wider, glued, multi-slat panels especially emphasise the richness of the colour tones.

The warm tone of the panels is a result of the thermal treatment, thanks to which the KASKI panels are suitable as wall and ceiling materials for a wide variety of rooms. As a material, thermally modified spruce is sauna-proof and can be installed in a sauna directly out of the package.



Natural Brown



Natural Brown (wide)





KASKI

Form	Thickness	Width	Length	Open seam	Color	Consumption	Coverage width	Raw material
STS	15 mm	92 mm	2050 mm	6 mm	Natural Brown	12,20 m/m ²	82 mm	Thermally modified spruce
STS	15 mm	92 mm	To be checked	6 mm	Natural Brown	12,20 m/m ²	82 mm	Thermally modified spruce
STS	15 mm	92 mm	2350 mm	6 mm	Natural Brown	12,20 m/m ²	82 mm	Thermally modified spruce
STS	15 mm	174 mm	To be checked	6 mm	Natural Brown	6,10 m/m ²	164 mm	Edgeglued thermo spruce
STS	15 mm	174 mm	2050 mm	6 mm	Natural Brown	6,10 m/m ²	164 mm	Edgeglued thermo spruce
STS	15 mm	174 mm	2350 mm	6 mm	Natural Brown	6,10 m/m ²	164 mm	Edgeglued thermo spruce

KUULAS

THE CHARMING UNIQUENESS OF WOOD

In Finnish, the word *kuulas* means something clear, bright, and translucent. It's a perfect name for the KUULAS sauna panels whose distinctive look is all due to the translucent hues found on the panels. They let the wood's natural, undisturbed grain pattern shine through like a mist that gently envelops a serene landscape in the distance. It makes every panel unique – just like your sauna.







The colour options for the KUULAS panels make it possible to create a pleasing contrast with your choice of sauna bench materials. The straight-edged design gives the panels a crisp and impressive appearance regardless of which colour you choose.

As the surface treatment used for the KUULAS panels lets the natural annual rings of the wood shine through, there may be tonal variations in the surface colouring of the panels, sometimes to a dramatic degree. This is what makes the KUULAS panels such an unique choice for sauna panelling.



Steam




Polar Night













The KUULAS sauna panels are made of aspen wood. Because aspen is a non-resinous wood that conducts heat slowly, it's a perfect choice for a sauna, where the feeling of all surfaces is essential.


The KUULAS sauna panels have a concealed fastening design which enables a nail-free, even and smooth surface immediately after installation. The concealed fastening also makes the panels more durable, as no water can penetrate the wood via nail holes.

The KUULAS panels will make sure that your sauna is a place where you'll love to linger just a moment longer.


KUULAS-SAUNA PANELS

Form	Thickness	Width	Length	Open Seam	Color	Consumption	Coverage width	Raw material
STS	15 mm	120 mm	1800, 2100, 2400, 2700, 3000 mm	3 mm	Steam, Polar Night	9,52 m/m ²	105 mm	Aspen

 ${\sf KUULAS}\ panels\ are\ not\ end\ -jointed.\ For\ this\ reason,\ the\ panels\ must\ be\ leveled\ before\ installation.$







The wooden LAUDE sauna benches guarantee that you can enjoy your time in your sauna in comfort and without worry. The wide LAUDE is made from Finnish spruce which is perfect for building a stylish sauna that can stand the test of time.

Thanks to the many colour options available, it's easy to combine the LAUDE products with a wide variety of sauna styles. The wooden LAUDE sauna benches are also available in thermally modified spruce which lets you bring the natural, warm tones of wood into your sauna.

Thanks to their surface treatment, the wooden LAUDE benches will stay beautiful and pleasant to use for years to come. We recommend that you use the LAUDE front boards with your wooden LAUDE sauna benches to give your sauna the perfect finishing touch.





CAN ALSO BE USED IN A SAUNA

Thickness	Width	Length	Color	Raw Material
32 mm	295 mm	2350 mm	Translucent Black, Translucent Gray, Translucent White, Natural	Edgeglued WW
		2950 mm	Sauna care treatment	Thermally modified spruce
32 mm	175 mm	2950 mm	Sauna care treatment	Thermally modified spruce

FRONT BOARD

LAUDE

Thickness	Width	Length	Color	Raw Material
32 mm	125 mm	2350 mm	Translucent Black, Translucent Gray, Translucent White, Natural	Edgeglued WW
		2950 mm	Sauna care treatment	Thermally modified spruce



MOULDING

FRAME YOUR HOME LIKE A BEAUTIFUL PICTURE

Siparila's collection of moulding has a wide variety of options and colours that can let you create charming and intentional details in your home. Find the perfect moulding for your taste and emphasise your home's characteristics with a stylish, natural look. Let your creativity run free, because the only limit is your imagination. The moulding in the KINOS, KUMPU, VANA and VIIVA collections are versatile multi-purpose moulding, which means that each type of moulding can be used both as a cover moulding and skirting board.

KIILLE

The KIILLE interior moulding is a straight-edged and minimalistic moulding. It's perfect for a room where you want the finishing touch to be understated. The moulding in the KIILLE collection features separate options for skirting boards, crown moulding and cover moulding.

VANA

The VANA interior moulding can soften modern interior design or bring a sense of calm to a romantic style. VANA moulding can be used both as cover moulding and skirting.

KUMPU

The KUMPU interior moulding has a rounded, wave-like shape. The KUMPU interior moulding lets you create a charming sense of softness in the details of your interior style. It can be used both as cover moulding and skirting.

KINOS

The KINOS moulding brings a sense of rich detailing to your interior design. The decorative KINOS moulding is perfect for finishing a room from top to bottom. The moulding can be used as cover moulding or skirting, and it's available in a wide range of widths up to 120 cm.

VIIVA

The VIIVA moulding brings an understated and stylish finishing touch to your interior style. The moulding has a minimalistic and streamlined shape. The VIIVA moulding is a multi-purpose combination moulding that can be used both as cover moulding and skirting.

JALOPUU

The JALOPUU moulding is made of ash wood and is shaped like KIILLE moulding. The JALOPUU moulding gives a stylish finish to ash wood panelling.



KIILLE

KIILLE-Baseboard	Thickness, mm	Width, mm	Colour
12x42 KIILLE baseboard	12	42	Pure White
12x70 KIILLE baseboard	12	70	Pure White
12x90 KIILLE baseboard	12	90	Pure White
20x42 KIILLE electric baseboard (trail 13x26)	20	42	Pure White
20x70 KIILLE electric baseboard (trail 13x40)	20	70	Pure White
20x90 KIILLE electric baseboard (trail 13x40)	20	90	Pure White
12x42 KIILLE coverboard (door measure)	12	42	Pure White
12x42 KIILLE coverboard	12	42	Pure White
12x70 KIILLE coverboard	12	70	Pure White
12x90 KIILLE coverboard	12	90	Pure White
15x44 KIILLE ceiling molding	15	44	Pure White



KIILLE baseboard 12x42



KIILLE baseboard 12x70



KIILLE baseboard 12x90



KIILLE electric baseboard 20x42



KIILLE electric baseboard 20x70



KIILLE coverboard 12x42



KIILLE coverboard 12x70



KIILLE coverboard 12x90



KIILLE ceiling molding 15x44

VANA

VANA-Moldings	Thickness, mm	Width, mm	
15x70 VANA cover/baseboard (combination)	15	70	Pure White
15x90 VANA cover/baseboard (combination)	15	90	Pure White
15x60 VANA ceiling molding	15	60	Pure White



VANA cover/baseboard 15x70



VANA cover/baseboard 15x90



VANA ceiling molding 15x60

KUMPU

KUMPU-Moldings	Thickness, mm	Width, mm	Colour
15x56 KUMPU cover/baseboard (combination)	15	56	Pure White
15x68 KUMPU cover/baseboard (combination)	15	68	Pure White
15x92 KUMPU cover/baseboard (combination)	15	92	Pure White



KUMPU cover/base-board 15x56



KUMPU cover/baseboard 15x68



KUMPU cover/baseboard 15x92

KINOS

KINOS-Moldings	Thickness, mm	Width, mm	
15x56 KINOS cover/baseboard (combination)	15	56	Pure White
15x70 KINOS cover/baseboard (combination)	15	70	Pure White
15x90 KINOS cover/baseboard (combination)	15	90	Pure White
15x120 KINOS cover/baseboard (combination)	15	120	Pure White
15x64 KINOS ceiling molding	15	64	Pure White



KINOS cover/baseboard 15x56



KINOS cover/baseboard 15x70



KINOS cover/baseboard 15x90



KINOS cover/baseboard 15x120



KINOS ceiling molding 15x64

VIIVA

VIIVA-Moldings	Thickness, mm	Width, mm	Colour
20x70 cover/baseboard (combination)	20	70	Pure White
20x90 cover/baseboard (combination)	20	90	Pure White
20x145 cover/baseboard (combination)	20	145	Pure White



VIIVA cover/baseboard 20x70



VIIVA cover/baseboard 20x90




VIIVA cover/baseboard 20x145

JALO-PUU

JALOPUU-Moldings	Thickness, mm	Width, mm	
15x70 baseboard	15	70	Translucent White Ash
15x70 coverboard	15	70	Translucent White Ash
16x16 square molding	16	16	Translucent White Ash
28x28/22 corner molding	28	2.8	Translucent White Ash



INTERIOR PANEL PROFILES*




*IMAGES ARE NOT IN SCALE.



NOTES





SIPARILA

Varaslahdentie 1, 40800 Vaajakoski Tel. +358 10 4242 000 www.siparila.com



Follow us on social media







#siparila

@siparila