
INTERIOR PRODUCTS

PASSION FOR WOOD







Ideas for all your senses

Wood has always been at the core of Finnish culture, serving various essential purposes, from building and heating homes to being a source of inspiration and creativity. Siparila takes this rich tradition further by offering innovative wood paneling solutions designed to infuse warmth and beauty into your home with the expert touch of Finnish designers.

Embracing wood's versatility and unique allure, our products are tailored to meet diverse interior design needs, whether creating a modern yet inviting ambiance or adding a touch of sophistication to a classic setting.

At Siparila, we believe in the power of impeccable craftsmanship, top-tier design, and a deep reverence for nature. Our products allow you to craft remarkable and personalized elements that perfectly complement your unique style and preferences in home design. Your home should be a reflection of your individuality, and we are committed to ensuring it remains a timeless expression of your distinctive taste and personality.

Content

| MATERIALS | 6 |
|-------------------------|-------|
| MOUNTING METHODS | 7 |
| TREATMENTS | 9 |
| LOG PANEL | 10 |
| AAVA | 12 |
| JALO | 16 |
| KASKI | 18 |
| KASTE | 20 |
| KIILLE | 22 |
| коо | |
| KUULAS | |
| PURO | |
| RAILO | |
| ROSO | |
| SOLA | 10 10 |
| STRUKTUURI | |
| USVA | |
| VIRE | 54 |
| MOLDING | 58 |
| INTERIOR PANEL PROFILES | 63 |

CLASSIC SLEEK ≰ MODERN ELEGANCE

MATERIALS

High-quality interior panels are created using high-quality raw materials. Only the best materials, according to the application, are selected for Siparila interior panels. The choice of materials is used to create different shapes, textures, and characteristics.

KNOTLESS (EM)

Knottles pine panels are virtually knot-free and present the highest quality pine panels available. Our translucent pine panels are mainly manufactured in EM grade. Examples are the VIRE panel in sand color and the KOO panel in gray.

FEW KNOTTED PINE (VM)

In VM-grade pine panels, some small knots are allowed, but they are solid. With the right surface treatment, panels can be given a surface that suitably enhances the character of the wood - such as with USVA panels.

KNOTTED PINE (OM)

Knotted pine is used in panels that allow for larger knots and a rougher appearance. However, there is no need to compromise on characteristics because these types of panels are also available with concealed fixing and end-jointing. Siparila's panels, such as ROSO and KUURA, which are opaque painted, are manufactured to OM quality grade and use a branch penetration retardant primer under the topcoat to ensure quality.

FINGER-JOINTED PINE

Finger-jointed pine is a raw material that is almost branchless and straight, with finger joints. It is used in our opaque painted panels such as KIILLE and KASTE. Finger-jointed pine is also used in our interior moldings because of its excellent properties.

GLUED PINE

Glued pine wood is used to make wide panels, such as the AAVA panels. The glued pine allows the panel to be thin, while at the same time, the dimensional stability is easier to control compared to a solid wood panel of the same size.

GLUED SPRUCE

A glued spruce substrate is used to make our popular STRUKTUURI panels, for example. The glued spruce allows the panel to be thin while at the same time, the dimensional stability is easier to control compared to a solid wood panel of the same size. Due to its low resin formation, spruce is also a perfect material for sauna decoration.

ASPEN

Aspen is very suitable for saunas, as it is very rot-resistant and does not conduct much heat. The raw material for KUULAS sauna panels with prefinished surface treatment is aspen.

BIRCH

Birch is a high-quality and beautifully light raw material for interior panels. Panels made of birch are mainly treated with varnish, which allows the natural look of birch to shine through. Our range of KOO and VALO interior panels is available in birch.

EUROPEAN ASH

Ash is a noble wood, whose beautiful and natural color variation with its grain patterns brings life to any wood surface. Ash is a dense, few knotted raw material used to make, for example, PURO and JALO interior panels.


OAK

Oak is a classic wood for interior elements. Oak interior panels create a sense of dignity and a natural wood surface - for example, the VIRE interior panel in oak is a guaranteed eye-catcher.

MOUNTING METHODS


CONCEALED FIXING

Panels with concealed fixings create a seamless and stylish surface. Concealed fixing marks remain hidden with no holes in the panels from nail heads, from which water and contaminants could otherwise seep into the wood and damage it. Fixing is easy with staples or nails, depending on the profile.



END-JOINTING

Panels with end-jointing allow for cutting panels regardless of stud intervals. End-jointed panels can be seamlessly continued from the previous panel to the following panel, with the seam remaining tightly in its original location. Using end-jointed panels minimizes material waste and saves time and money.



TREATMENTS

Our fully finished interior panels offer a beautiful, high-quality finish for any space. The treatments facilitate a clean finish as the panel surface has been subjected to an industrial treatment. The various surface options enhance the natural characteristics of the wood. Additionally, thermal modification and fire protection of wood expand the range of applications for these panels.





OPAQUE PAINTING

Opaque-painted panels are entirely painted so that the wood material does not show through the finished surface. The result is a beautiful, finished panel that can be installed immediately. Only the cut-off surfaces of the panel require treatment. Several different shades are available for the topcoat.

TRANSLUCENT TREATMENT

The translucent varnish/wood stain treatment gives the panel surface a watercolor-like appearance, revealing the wood grain underneath. This highly durable treatment maintains a natural look on the panel's surface.

FIRE PROTECTION

Fire-retardant interior panels enable construction in compliance with fire safety regulations. Most of our interior panel range is available with fire-retardant treatment under the highest fire protection class for wood, B-s1, d0. Fire-retardant interior panels are always manufactured as project products, allowing us to tailor the products to suit your exact needs.

THERMAL MODIFICATION

Thermal modification uses heat and steam to modify the structure of the wood to change its properties. Thermal modification increases the durability of wood: wood does not experience dimensional changes related to temperature or humidity, making it highly resistant to the hot and humid conditions in bathrooms and saunas.





SAUNA PROTECTION

Sauna protection is based on varnish treatment. It equalizes the moisture fluctuation of the wood and prevents dirt from being absorbed in the wood.





LOG PANEL

LONG-LASTING TRADITIONS

Wood has been a cornerstone of Finnish construction for centuries, with ancient cottages built from logs to shield residents from wind and blizzards. Embracing this rich tradition, the design of log panels honors Finnish heritage while incorporating modern advancements. With endjointing, flexible joints are achieved, and material waste is minimized.





LOG PANEL

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|--------|---------------|-----------|----------------|-------------------|-----------------------|--------------|
| нн | 20 mm | 170 mm | To be checked | - | 158 mm | Translucent White | 6,33 m/m ² | Knotty pine |
| HH | 20 mm | 170 mm | To be checked | - | 158 mm | Natural Wood | 6,33 m/m ² | Knotty pine |

Wide log panels are a timeless Finnish interior choice, offering a stunning illusion of a genuine log wall. Their end-jointed shape ensures clean and seamless connections while saving resources and allowing for creativity without compromise.

Log panels can be treated industrially with a translucent white finish, paving the way for quicker construction as they need no further application after installation. Log panels are also available without surfacing.




- SNOWFALL

AAVA

EARTHY AND SERENE

The AAVA interior panels are reminiscent of an endless sea, stretching as far as the eye can see. They evoke a feeling of calmness, strength, and reverence. These wide panels, crafted from Nordic redwood, allow you to introduce the boldness and elegance of natural wood into any room. The translucent tinting on the panels highlights the wood's natural and vibrant surface.




AAVA

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|--------|---------|-----------|----------------|------------------------------|-----------------------|--------------|
| AAVA | 15 mm | 220 mm | 2050 mm | 6 mm | 205 mm | Snowfall, Polar Night, Beach | 4,88 m/m ² | Glued pine |

POLAR NIGHT

The AAVA is an elegant solution that brings character to an accent wall or the whole room.

The concealed fixing and end-joints of the panels make it possible to create a seamless surface on the wall. The AAVA panels are available in three different shades with a brushed, translucent surface treatment. The finishing reflects light beautifully and brings a sense of space and airiness to any room.









Polar Night



Beach





JALO

NATURAL BEAUTY

Experience the natural warmth and modern elegance of JALO interior panels. Crafted from sturdy ash wood, these panels feature a translucent white surface treatment that accentuates the beautiful grain of the wood. The unique grooves add character, creating a captivating ambiance for any space.





JALO

| ess wiath | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|-----------|---------------|---|----------------|-------------------|-----------------------|--------------|
| 42 mm | To be checked | 3 mm | 33 mm | Translucent White | 30,3 m/m ² | Ash |
| | | ess Width Length 42 mm To be checked | 6 | | | |

The JALO panel is not end-matched and will require trimming before installation.

The JALO panels are narrow ash wood panels designed for wall paneling in both dry and wet rooms. Their light surface treatment allows the beautiful grain of the wood to show through. The concealed fixing ensures a smooth and uninterrupted surface. These panels are ideal for creating attractive accent walls in both home and public spaces.



Translucent White

The JALO panels can also be used for creating rounded shapes (the radius must be 500 mm at minimum).



KASKI

THE STRENGTH OF THE WOOD

The KASKI panel is a stunning manifestation of nature's beauty, reflecting the essence of a Finnish forest with its multifaceted and ever-changing appearance. Its thermal modification releases an enchanting aroma and bathes the space in warmth with its deep brown shade. This panel embodies strength and enhances the natural qualities of wood.





KASKI

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|--------|---------|-----------|----------------|---------------|-----------------------|-----------------------------|
| STS | 17 mm | 92 mm | 2050 mm | 6 mm | 82 mm | Natural Brown | 12,2 m/m ² | Thermally modified softwood |
| STS | 15 mm | 174 mm | 2350 mm | 6 mm | 164 mm | Natural Brown | 6,1 m/m ² | Thermally modified softwood |

The KASKI panel is not end-matched and will require trimming before installation.



Crafted from thermally modified wood, the KASKI panel boasts a lively surface brought to life through brushing. The thermal modification process, which uses only heat and steam, transforms the wood's structure while preserving its purity. This innovation offers enhanced rot and moisture resistance and exceptional heat insulation, making the KASKI panel a remarkable choice for ceilings and walls throughout the home, including in serene saunas.



Thermally modified softwood





PROTECT AGAINST WATER SPLASHES



KASTE

FRESH AND HARMONIOUS

Visualize a serene summer morning, with dew on the leaves and the gentle dawn light. That's the inspiration behind KASTE interior panels. Their surface treatment evokes the soft, fresh feeling of a summer morning. With KASTE panels, you can effortlessly create a refreshing, light, and harmonious space. BRING THE FRESHNESS OF MORNING DEW INDOORS



KASTE

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|--------|---------|-----------|----------------|-------|------------------------|---------------------|
| STS | 13 mm | 95 mm | 2350 mm | 3 mm | 82 mm | White | 12,22 m/m ² | Finger-jointed pine |
| STS | 15 mm | 120 mm | 2350 mm | 6 mm | 105 mm | White | 9,52 m/m ² | Finger-jointed pine |



The KASTE is an excellent choice for modern, Scandinavian interior design styles – the white color of the panels is easy to combine with other colors in the room. You can install it horizontally or vertically, whichever pleases your eye the most. The KASTE panels have protection against water splashes, which gives them even more applications for various rooms.







KIILLE

THE MAGIC OF LIGHT

When you wish to create a space that appears flooded with natural light through the windows, choose the KIILLE panel. Its pure white surface reflects light beams and makes any space feel brilliantly luminous and airy. The KIILLE is a timeless, classic panel that you can use to create various interior design solutions for any space.





KIILLE

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|--------|---------|-----------|----------------|------------|------------------------|---------------------|
| STS | 13 mm | 95 mm | 2350 mm | 6 mm | 82 mm | Pure White | 12,22 m/m ² | Finger-jointed pine |
| STS | 15 mm | 120 mm | 2350 mm | 6 mm | 105 mm | Pure White | 9,52 m/m ² | Finger-jointed pine |



Discover the KIILLE panel, a versatile solution for walls and ceilings. Its clean design serves as a calming canvas for interior design elements. With hidden fixings, it creates a seamless wooden surface. Plus, with end joints, it minimizes waste and ensures precise joints. KIILLE panels are both efficient and elegant.



Pure White







KOOZ TRANSLUCENT WHITE

KOO

UNIQUE AESTHETICS

Craft your ideal surface and experience exceptional results. The KOO interior panel collection embodies the beauty and flexibility of wood. These panels can be used independently or together, creating a unique result that is exclusive to your home.





коо

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|-------|------------------|-----------|----------------|---|------------------------|--------------|
| KOO | 21 mm | 95 mm | To be checked | 4 mm | 83 mm | Translucent White Birch, Untreated Birch | 12,05 m/m ² | Birch |
| KOO2 | 21 mm | 95 mm | To be checked | 4 mm | 83 mm | Translucent White Birch, Untreated Birch | 12,05 m/m ² | Birch |
| KOO4 | 21 mm | 95 mm | To be checked | 4 mm | 83 mm | Translucent White Birch, Untreated Birch | 12,05 m/m ² | Birch |

The KOO panel is not end-matched and will require trimming before installation.

The timeless and stylish KOO interior panels have been designed by interior design architect Kari Lappalainen.

The collection features three different types of panels that are distinguished by the number of faux grooves. You can create a smooth or a stripy surface with the KOO panels.











Translucent White



KOO2 Translucent White



KOO4 Translucent White



ON THIS PAGE: KOOZ TRANSLUCENT WHITE

26




KUULAS

CHARMING NATURALITY

In Finnish, the word *kuulas* means something clear, bright, and translucent. It's a perfect name for the KUULAS sauna panels whose distinctive look is all due to the translucent hues found on the panels. They let the wood's natural, undisturbed grain pattern shine through like a mist that gently envelops a serene landscape in the distance. It makes every panel unique – just like your sauna.





The finished and smooth surface of the panel is both stylish and beautiful thanks to its narrow open seam. As the surface treatment used for the KUULAS panels lets the natural annual rings of the wood shine through, there may be tonal variations in the surface coloring of the panels. This makes the KUULAS panels a unique choice for sauna paneling.



Steam



Polar Night





CAN ALSO BE USED IN A SAUNA









The aspo perf esse The whi

The KUULAS panels will make sure that your sauna is a place where you'll love to linger just a moment longer.

KUULAS-SAUNA PANELS

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|--------|---------------|-----------|----------------|--------------------|-----------------------|--------------|
| STS | 15 mm | 120 mm | 2700, 3000 mm | 3 mm | 105 mm | Steam, Polar Night | 9,52 m/m ² | Aspen |

The KUULAS panel is not end-matched and will require trimming before installation.

The KUULAS sauna panels are made of aspen wood. Because aspen is a non-resinous wood that conducts heat slowly, it's a perfect choice for a sauna, where the feeling of all surfaces is essential.

The KUULAS sauna panels have a concealed fastening design which enables a nail-free, even and smooth surface immediately after installation. The concealed fastening also makes the panels more durable, as no water can penetrate the wood via nail holes.

PURO DELICATE AND LIVELY

"Puro" is the Finnish word for a brook. Catching an eye for a little brook is always a delightful sight, and that same liveliness is captured in the visual language of the PURO panels on their stripy surface. The PURO is a pinnacle of Finnish design created by designer Laura Väre from Design Studio RATIA. In line with RATIA's design philosophy, the PURO panels can stand the test of time and make everyday life feel more prosperous. The PURO panels bring a delicate, light liveliness to any room.

HERMALLY MODIFIED SOFTWOOD

THERMALLY MODIFIED SOFTWOOD

CREATE A DELIGHTFUL LOOK WITH VIVACIOUS WOOD



PURO

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|-------|---------------|-----------|----------------|-----------------------|-----------------------|-----------------------------|
| PURO | 17 mm | 90 mm | 2050 mm | 6 mm | 80 mm | Natural Brown | 12,5 m/m ² | Thermally modified softwood |
| PURO | 15 mm | 90 mm | To be checked | 6 mm | 80 mm | Translucent Sand | 12,5 m/m ² | Knotless pine |
| PURO | 15 mm | 90 mm | 2700 mm | 6 mm | 80 mm | Pure White | 12,5 m/m ² | Knotless pine |
| PURO | 15 mm | 90 mm | 3600 mm | 6 mm | 80 mm | Pure White | 12,5 m/m ² | Knotless pine |
| PURO | 15 mm | 90 mm | To be checked | 6 mm | 80 mm | Translucent White Ash | 12,5 m/m ² | Ash |

The PURO panel is not end-matched and will require trimming before installation.



The PURO interior panels can be used in various rooms, including a sauna. They are available in three different shades, so you can create a color palette that perfectly suits your style. The annual rings of wood and knots create liveliness on the panels' surface, resembling stones and flows in a brook.










Pure White




Translucent White Ash*



Thermally modified softwood*






RAILO

CONTRAST AND BALANCE

Have you ever heard the ice singing in winter? That almost yodel-like sound is the result of the ice moving and its surface cracking - leading to deep grooves and cracks that break the surface of the ice. The smooth surface of the RAILO panels has faux grooves that break up the even surface, just like cracks in the ice. The RAILO panels allow you to create bold contrasts or balance a room's mood.







The RAILO panels are available in two stylish colors, perfect for creating different atmospheres in interior spaces. In translucent gray tone panels create a soft, calm mood while opaque white brings a sense of airiness.

These elegant panels have a lot of personality, but they are still a timeless choice suitable for creating bold contrasts or balancing the colors of a room. RAILO panels can be used to decorate walls and ceilings.






END-JOINTING








RAILO

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|-------|---------|-----------|----------------|------------|------------------------|---------------------|
| STS | 13 mm | 95 mm | 2350 mm | 6 mm | 82 mm | Pure White | 12,22 m/m ² | Finger-jointed pine |




ROSO

40

RESTRAINED ROUGHNESS

Feel the texture of the wood as you run your fingers over its fine lines, coarse surface, and raised spots. These features tell the unique story of the tree from which the wood originated. The ROSO interior panels provide an authentic tactile experience, and the pure white color lends the panels a sophisticated and restrained appearance.



TO THE ROOM



ROSO

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|--------|---------|-----------|----------------|-------------------|-----------------------|--------------|
| STS | 13 mm | 120 mm | 2050 mm | 3 mm | 107 mm | Black | 9,34 m/m ² | Knotty pine |
| STS | 13 mm | 120 mm | 2350 mm | 3 mm | 107 mm | Pure White, Black | 9,34 m/m ² | Knotty pine |

The unique surface treatment of the ROSO interior panels brings out the wood texture beautifully. The panels are suitable for both walls and ceilings in dry and moist conditions. The versatile ROSO panels let you create stylish combinations, as the panels' color goes with a wide variety of interior design elements.



Pure White









PROTECT AGAINST WATER SPLASHES


Black

SOLA

NATURAL CONTRASTS

Along the mountainside, a narrow notch shaded by the slopes cuts a groove through the landscape. Light and shadow play over the slopes and create a breathtaking view, similar to the surface of the SOLA interior panels. These panels allow you to create a bold, three-dimensional look on walls and ceilings. The panel has a unique appearance due to its stripy shape, highlighted by black grooves.





SOLA

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|-------|---------|-----------|----------------|---------------|-----------------------|-----------------------------|
| SOLA | 17 mm | 90 mm | 2050 mm | 6 mm | 80 mm | Natural Brown | 12,5 m/m ² | Thermally modified softwood |

The SOLA panel is not end-matched and will require trimming before installation.

LET LIGHT AND SHADOW PLAY OVER THE SURFACES

The unique look of the SOLA panels is created by its black grooves, which gives the panels a three-dimensional and exciting look. The SOLA panels are made from thermally modified softwood, which is deep brown and emphasizes the wood's natural grain pattern. The SOLA panels can be installed both vertically and horizontally. They can also be used in a sauna.



Thermally modified softwood







PROTECT AGAINST WATER SPLASHES



STRUKTUURI NATURAL STYLISHNESS OF WOOD

Experience the inspiration of nature with our STRUKTUURI panels. Designed to reflect the protective and unique bark of wood, these panels bring a tranquil and natural atmosphere to your home. Their broad shape makes them versatile for various purposes, creating an inviting and serene environment.





PURE WHITE

The STRUKTUURI interior panels, with their knots and grain of natural wood, are a bold choice that allows you to play with light and shadow, creating the atmosphere you desire. Available in five colors, these panels can be used throughout the house, giving your design a nuanced, clever, yet unified appearance. Their adaptability to various interior design styles allows you to create a stunning and aesthetically pleasing solution that is not only timeless but also on-trend, combining modern design with the natural stylishness of wood.



Translucent Black



Pearly Gray



Pearly Brown



Translucent Sand



STRUKTUURI

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|--------|---------|-----------|----------------|---|-----------------------|--------------|
| STS | 15 mm | 176 mm | 2350 mm | 6 mm | 161 mm | Pure White, Translucent Sand, Translucent Black, Pearly Gray, Pearly Brown | 6,21 m/m ² | Glued spruce |





Wood is a stunning material in terms of its visual effects and features. You can enhance indoor air quality by utilizing wood on various surfaces throughout the home. Real wood can breathe life into any room by absorbing and releasing humidity.

The STRUKTUURI panels are suitable for use in various rooms throughout the house, including a sauna. The panels are surface-treated to withstand the heat and humidity fluctuations typical of a sauna environment. The concealed fixing prevents water from penetrating the wood and causing damage.

You can choose the panel color that best suits your sauna's atmosphere. Opt for white for a fresh, spa-like sauna style, dark for a traditional smoke-heated sauna aesthetic, or Pearly Grey for a mystical mood. Alternatively, you can pick the soothing Pearly Brown or natural Sand colors to give your sauna a brand-new look.






CAN ALSO BE USED IN A SAUNA











USVA

FOR A MAGICAL MOOD

Perhaps you've walked along a misty path, feeling the mist wrap around you and your surroundings like a comforting hug, making the scenery seem mysterious and magical. The USVA interior panels let you recreate this magical mood indoors.







The USVA panels have a velvety smooth surface with microgrooves that enhance the unique characteristics of the wood, producing an impressive effect as the light changes. These contemporary panels are ideal for accent walls as well as large wall and ceiling surfaces. The surface of the USVA panels showcases the knots typical of authentic, natural wood.



Translucent Sand





PROTECT AGAINST WATER SPLASHES





USVA

| Form | Thickness | Width | Length | Open Seam | Coverage width | Color | Yield | Raw material |
|------|-----------|--------|---------|-----------|----------------|------------------|------------------------|------------------|
| STS | 15 mm | 120 mm | 2050 mm | 6 mm | 105 mm | Translucent Sand | 9,52 m/m ² | Few knotted pine |
| STS | 15 mm | 120 mm | 2950 mm | 6 mm | 105 mm | Translucent Sand | 9,52 m/m ² | Few knotted pine |
| STS | 15 mm | 95 mm | 2050 mm | 6 mm | 82 mm | Translucent Sand | 12,22 m/m ² | Few knotted pine |





3

VIRE

TIMELESS TOP DESIGN

Experience the gentle sway of the water's surface, as it forms delicate ripples and small waves. This graceful movement is artfully captured in the VIRE interior panels, a result of the collaboration with Ristomatti Ratia. The wavelike surface of the panels offers a captivating visual experience from every angle. Elevate your interior design with VIRE, a stunning example of Finnish craftsmanship that brings a touch of elegance to any space.







The three-dimensional VIRE interior panel is designed to add elegance to home interiors. Its wave-like appearance changes depending on the viewing angle, creating a versatile design. VIRE interior panels can be used for both wall and ceiling paneling.

The Vire panel features a concealed fixing system for easy installation and a fully finished surface treatment. It can be installed horizontally or vertically. Our collection offers various options for every room, from living rooms to saunas.



Translucent White Ash*



Translucent White Birch*



Black



Pure White








*CAN ALSO BE USED IN A SAUNA




Translucent Sand



VIRE

| Form | Thickness | Width | Length | Coverage width | Color | Yield | Raw material |
|------|-----------|-------|---------------|----------------|--|------------------------|---------------------------------|
| VIRE | 15 mm | 90 mm | 2700 mm | 79 mm | Pure White, Black | 12,66 m/m ² | Knotless pine |
| VIRE | 15 mm | 90 mm | 3600 mm | 79 mm | Pure White, Black | 12,66 m/m ² | Knotless pine |
| VIRE | 15 mm | 90 mm | To be checked | 79 mm | Translucent Sand, Translucent White Birch, Translucent White Ash | 12,66 m/m ² | Knotless pine, Birch, Ash |

The VIRE panel is not end-matched and will require trimming before installation.



VIRE

MOLDING

FRAME YOUR HOME LIKE A BEAUTIFUL PICTURE

Siparila's molding collection offers various options and colors to help you create charming and intentional details in your home. Find the perfect molding to match your taste and highlight your home's characteristics with a stylish, natural look. Let your creativity run free because the only limit is your imagination. The moldings in the KINOS, KUMPU, VANA, and VIIVA collections are versatile multi-purpose moldings, meaning each type can be used as both a cover molding and skirting board.

KIILLE

The KIILLE interior molding is a straight-edged and minimalistic option, perfect for those looking for a subtle finishing touch. The collection offers a variety of options including skirting boards, crown molding, and cover molding.

VANA

The VANA interior molding can soften modern interior designs or bring a sense of calm to a romantic style. VANA molding can be used as both cover molding and skirting.

KUMPU

The KUMPU interior molding features a rounded, wave-like shape, allowing you to infuse a soft and charming feel into your interior design details. It can serve as both cover molding and skirting.

KINOS

The KINOS molding adds rich detailing to your interior design. This decorative KINOS molding is perfect for completing a room from top to bottom. It can be used as cover molding or skirting and is available in a wide range of widths up to 120 cm.

VIIVA

The VIIVA molding adds an understated and stylish finishing touch to your interior design. It features a minimalistic and streamlined shape, serving as a multi-purpose combination molding that can be used both as cover molding and skirting.

JALOPUU

The JALOPUU molding, made of ash wood, is shaped similarly to the KIILLE molding and provides a stylish finish for ash wood paneling.



VIIVA ~

ALL SIPARILA Moldings are Made of Real, Natural Wood.



| XIILLE | KIILLE-Baseboard | | Thickness, mm | Width, mm | Length, I | mm Color |
|---------------|----------------------------|---------------------------|-----------------------------|--------------------------------|-----------|------------------------------------|
| | 12x42 KIILLE baseboard | | 12 | 42 | 3600 | Pure White |
| | 12x70 KIILLE baseboard | | 12 | 70 | 3600 | Pure White |
| | 12x90 KIILLE baseboard | | 12 | 90 | 3600 | Pure White |
| | 20x42 KIILLE electric base | eboard (trail 13x26) | 20 | 42 | 3600 | Pure White |
| | 20x70 KIILLE electric bas | eboard (trail 13x40) | 20 | 70 | 3600 | Pure White |
| | 20x90 KIILLE electric bas | eboard (trail 13x40) | 20 | 90 | 3600 | Pure White |
| | 12x42 KIILLE coverboard | (door measure) | 12 | 42 | 3600 | Pure White |
| | 12x42 KIILLE coverboard | | 12 | 42 | 3600 | Pure White |
| | 12x70 KIILLE coverboard | | 12 | 70 | 3600 | Pure White |
| | 12x90 KIILLE coverboard | | 12 | 90 | 3600 | Pure White |
| | 15x44 KIILLE ceiling mold | ing | 15 | 44 | 3600 | Pure White |
| | | | | | | |
| | KIILLE baseboard 12x42 | KIILLE baseboard 12x70 | KIILLE base- board 12x90 | KIILLE electri baseboard 20 | - | KIILLE electric baseboard 20x70 |
| | | | 1 | | | |

KIILLE coverboard

15

15

15

VANA cover/baseboard

15x90

12x70

15x70 VANA cover/baseboard (combination)

15x90 VANA cover/baseboard (combination)

15x60 VANA ceiling molding

VANA cover/base-

board 15x70

KINOS

| KINOS-Moldings | Thickness, mm | Width, mm | Length, mm | Color |
|--|---------------|-----------|------------|------------|
| 15x56 KINOS cover/baseboard (combination) | 15 | 56 | 3600 | Pure White |
| 15x70 KINOS cover/baseboard (combination) | 15 | 70 | 3600 | Pure White |
| 15x90 KINOS cover/baseboard (combination) | 15 | 90 | 3600 | Pure White |
| 15x120 KINOS cover/baseboard (combination) | 15 | 120 | 3600 | Pure White |
| 15x64 KINOS ceiling molding | 15 | 64 | 3600 | Pure White |
| | | | | |





KINOS cover/baseboard 15x56

KINOS cover/baseboard 15x70



KINOS ceiling molding 15x64

VIIVA

| VIIVA-Moldings | Thickness, mm | Width, mm | Lenght, mm | Color |
|--------------------------------------|-----------------------|-----------|-----------------|------------|
| 20x70 cover/baseboard (combination) | 20 | 70 | 3600 | Pure White |
| 20x90 cover/baseboard (combination) | 20 | 90 | 3600 | Pure White |
| 20x145 cover/baseboard (combination) | 20 | 145 | 3600 | Pure White |
| | | | | |
| VIIVA cover/baseboard | VIIVA cover/baseboard | | VIIVA cover/bas | seboard |





JALO-PUU

15x70 baseboard 15x70 coverboard 16x16 square molding 28x28/22 corner molding

20x70

KUMPU

VANA

| Thickness, mm | Width, mm | Length, mm | Color |
|---------------|-----------|---------------|-------------------------|
| 15 | 56 | 3600 | Pure White |
| 15 | 68 | 3600 | Pure White |
| 15 | 92 | 3600 | Pure White |
| | 15 | 15 56 15 68 | 15 56 3600 15 68 3600 |

KIILLE coverboard

70

90

60

12x90



KIILLE coverboard

12x42



KUMPU cover/baseboard 15x56

KUMPU cover/baseboard 15x68



VANA ceiling

molding 15x60

KIILLE ceiling molding

Pure White

Pure White

Pure White

15x44

3600

3600

3600

KUMPU cover/baseboard 15x92

60







KINOS cover/baseboard 15x90




| Thickness, mm | Width, mm | Color |
|---------------|-----------|-----------------------|
| 15 | 70 | Translucent White Ash |
| 15 | 70 | Translucent White Ash |
| 16 | 16 | Translucent White Ash |
| 28 | 2.8 | Translucent White Ash |
| | | |
| | | |

20x145



INTERIOR PANEL PROFILES*



*IMAGES ARE NOT IN SCALE.

63



SUSTAINABILITY

Sustainable and healthy living while respecting the vitality of forests

Wood has always been the building material that Finns trust, and we hope to keep it that way. As industry pioneers, we are involved in strengthening a building culture that respects the vitality and health of forests and promotes sustainable and healthy living.

This requires us to continuously and actively develop operating models that promote the well-being of the environment and people. Sustainable development plays an essential role in our business, and product quality, sustainability and safety are the cornerstones of our operations.

As a building material, wood is a responsible choice, as it is environmentally friendly, renewable, and recyclable. Wood construction is one of the best ways to reduce CO_2 emissions from construction because the CO_2 emissions from wood construction are minimal compared to, for example, concrete structures.

EPD for reliable and transparent measurement of environmental impact

Environmental Product Declarations (EPD) constitute a reliable way to present the environmental effects of products. Siparila's exterior, interior and thermally modified panels come with EPDs.



Well-being of forests as the basis of operations

Forests are the foundation of the vitality and diversity of Finnish nature. The PEFC certification system ensures the wellbeing of forests internationally and guarantees that the wood has been harvested sustainably, respecting forest biodiversity. We want to play our part in ensuring that the forest's natural habitats and the opportunities for species to live remain strong now and in the future.


Quality and safety first

In construction, it is important for the products used to be healthy and safe. All Siparila wood products are CE-marked and do not contain chemicals hazardous to humans or nature.

We are constantly developing new surface treatment methods to ensure our wood products look attractive and last long even in challenging weather conditions. Our investment in priming and coating methods has earned Siparila FI certification.









Varaslahdentie 1, FI-40800 Vaajakoski Tel. +358 10 4242 000 www.siparila.com



Follow us on social media



#siparila @siparila